No.



8600134

# THE DAILY BE SHAVIES OF ANDER 10:47

TO ALL TO WHOM THESE; PRESENTS; SHALL COME;

# Pioneer Hi-Bred International, Inc.

Telhereas, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT TAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN

'PHG72'

In Eastimony Wathereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, v.C. this 31st day of March in the year of our Lord one thousand nine hundred and eighty-seven.

Attest

Kenneth H. Evens Commissioner

Plant Variety Protection Office Agricultural Marketing Service

Lyry

U.S. DEPARTMENT OF AGRICUL		FORM APPROVED: OMB NO. 0581-0055			
APPLICATION FOR DIAMETER DISTRICT		Application is required in order to determin if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is			
APPLICATION FOR PLANT VARIETY PROT (Instructions on reverse)	ECTION CERTIFICATE	held confidential until certificate is issued (7 U.S.C. 2426).			
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME			
Pioneer Hi-Bred International, Inc.		PHG7.2			
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code Plant Breeding Division	e) 5. PHONE (Include area code)	FOR OFFICIAL USE ONLY			
Department of Corn Breeding PO Box 85, Johnston, IA 50131-0085	515/270-3300				
C OFFILIO AND THE STATE OF THE	AME (Botanical)	IDATE			
2.130021	1. A.				
Zea mays Grami	ineae	June 5, 1986 13:30 TAM. DEM.			
8. KIND NAME	9. DATE OF DETERMINATION	AMOUNT FOR FILING			
	S. DATE OF DETERMINATION	0 \$ 1810			
Corn	1982	DATE JUNE 5 1986  AMOUNT FOR CERTIFICATE			
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORE partnership, association, etc.)	M OF ORGANIZATION (Corporation	AMOUNT FOR CERTIFICATE			
Corporation of the control of the co	The state of the s	DATE			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		tebruary 19,198			
Iowa		12. DATE OF INCORPORATION May 6, 1926			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBM  a. Exhibit A, Origin and Breeding History of the Variety (Se b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Variety (Request form d. Exhibit D, Additional Description of Variety. e. Exhibit E, Statement of the Basis of Applicant's Ownersh	ee Section 52 of the Plant Variety Pront of the Plant Variety Protection Off	rotection Act.)			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VAF SEED? (See Section 83(a) of the Plant Variety Protection Act.)	p	items 16 and 17 below) No			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH CLASSES OF PRODUCTION ED?			
Yes No	Foundation	Registered Certified			
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECT	TION OF THE VARIETY IN THE L	J.S.? Yes (If "Yes," give date)			
		X No			
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE	OR MARKETED IN THE U.S. OF	Yes (If "Yes," give name			
		or countries and dates)			
20. The applicant(s) declare(s) that a viable sample of basic seed plenished upon request in accordance with such regulations	ds of this variety will be furnished	<u></u>			
The undersigned applicant(s) is (are) the owner(s) of this se distinct, uniform, and stable as required in Section 41, and Variety Protection Act.	xually reproduced novel plant va	riety, and believe(s) that the variety is the provisions of Section 42 of the Plant			
Applicant(s) is (are) informed that false representation here	in can jeopardize protection and	result in penalties.			
SIGNATURE OF APPLICANT	3 1 - 1	DATE			
Pioneer Hi-Bred International, Inc.					
SIGNATURE OF APPLICANT		DATE			
by: Richard & McComed &		June 3, 1986			
FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)					

'PHG72'

14A. Exhibit A. Origin and Breeding History

Pedigree: 891/207) X4123X

Pioneer line PHG72, Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross 891 x 207 using the pedigree method of breeding. The progenitors of PHG72 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above cross for six generations in the development of PHG72 at Mankato, Minnesota. During line development, crosses to inbred testers were made and evaluated for the purpose of estimating the line's combining ability. Additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand pollinated with observations made for uniformity.

PHG72 has shown uniformity and stability for all traits as described in Exhibit C (form LPGS-470-28) - "Objective Description of Variety". It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHG72.

### 14B. Exhibit B. Novelty Statement for 'PHG72'

PHG72 is most similar to the Pioneer proprietary inbred line 207. PHG72 sheds pollen and silks approximately 50 and 40 heat units, respectively, later than 207. PHG72 has green silks while 207 has red silks.

#### U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C

## OBJECTIVE DESCRIPTION OF VARIETY

CORN (ZEA MAYS)	•
NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY
Pioneer Hi-Bred International, Inc.  ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	PVPO NUMBER OZOO13/
Plant Breeding Division	VARIETY NAME OR TEMPORARY
Department of Corn Breeding PO Box 85	DESIGNATION
Johnston, IA 50131-0085	PHG72
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e.s. 0 8 9 or 0 9 ) when number is either 99 or less or	boxes below. 9 or less.
1. TYPE:	
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = PO	OP 6=ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:	,
2 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4 = SOUTHEAST
	comments" (pg. 3) state how
611 0470 5004 545 505 405 50 504 50 50 50 50 50 50 50 50 50 50 50 50 50	s were calculated)
6 1 DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK	5 0 HEAT UNITS
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS
4. PLANT:	
1 8 4 CM. HEIGHT (To tassel tip)	8 3 CM. EAR HEIGHT (To base of top ear)
0 5 CM, LENGTH OF TOP EAR INTERNODE	
o b sim canoni i i i i i i i i i i i i i i i i i i	
Number of Tillers: Number of Ears Per Stalk:	
1 = NONE $2 = 1 - 2$ $3 = 2 - 3$ $4 = > 3$ 1 1 = SINGLE 2 =	SLIGHT TWO-EAR TENDENCY
3 = STRONG TWO	EAR TENDENCY 4 = THREE-EAR TENDENCY
Cytoplasm Type:	
1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	(Specify)
5. LEAF (Field Corn Inbred Examples Given):	
Color:	
1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE	EN (B14) 4 = VERY DARK GREEN (K166)
3	
Angle from Stalk (Upper half): Sheath Pubscence:	
1 = $\langle 30^{\circ} $ 2 = $30-60^{\circ}$ 3 = $\rangle 60^{\circ}$ 1 1 = LIGHT (1)	W22) 2 = MEDIUM (WF9)
1 = $\langle 30^{\circ} \rangle$ 2 = $30-60^{\circ} \rangle$ 3 = $\langle 60^{\circ} \rangle$ 1 = LIGHT (1)	
Marginal Waves: Longitudinal Creases:	
[1]	(5.15.)
1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 1 = ABSENT 3 = MANY (F	(OH51) 2 = FEW (OH56A) PA11)
Width: Length:	
1 0 CM. WIDEST POINT OF EAR NODE LEAF 0 6 0 CM. EA	R NODE <b>L</b> EAF
	tata disease e escentrale
1 7 NUMBER OF LEAVES PER MATURE PLANT	- 18840 P 4 4 -

11121	the property of the transport of the A		8600134
A Company of the second	OF LATERAL BRANCHES	granten og han kompresse grant sattegar	and the second of the second o
Branch Angle from Cen	tral Spike:	Penduncle Length:	•
3 1 = < 309	2 = 30-40° 3 = > 45°	i <del>Lijdand</del> er de Karles Skrive	EAF TO BASAL BRANCHES
Pollen Shed:		to The Common Common (Authorite House) The Common Common Common (Authorite House)	2.5 多别者为对学的特别的
1 = LIGH	T (WF9) 2 = MEDIUM	3 = HEAVY(KY21)	Contractive graphics
Anther Co	· · · · · · · · · · · · · · · · · · ·		
Pollen Restoration for C	Cytoplasms (o = Not Tested, 1 = Partial, 2 = 0		TO EMBLY FRANCE (CONTRACTOR)
0 "ד" 0	"s" 0 "c"	OTHER (Specify Cytoplasm and degrees of	restoration)
7. EAR (Husked Ear Data	Except When Stated Otherwise):		
1 4 CM LENG	TH 4 0 MM. MID-POINT DIAMETER		1965年 - 東京 198時代に 1997年 - 1979年 2017年 - 大学社会研究 - 1987年 - 大学社会研究
Kernel Rows:		A Section of the Sect	TI SOUTH
1 = INDIS	TINCT 2 = DISTINCT	1 4 NUMBER	USDA AME
2 1 = STRAI	IGHT 2 = SLIGHTLY CURVED	3 = SPIRAL	JUN 5 = 1880 A
Silk Color (Exposed at S	ilking Stage):	自	Plant Variety
1 = GREE	N 2 = PINK 3 = SALMO	ON 4=RED	Steeling Steel
Husk Color:	1 = LIGHT GREEN	the second of th	PINK
6 DRY	<b>*</b>	PURPLE 6= BUFF	And the second second
Husk Extention: (Harves	st Stage)	Husk Leaf:	aprilia y Mag
1 = SHORT (Ears E	Exposed) 2 = MEDIUM (Barely Covering Ear M Beyond Ear Tip)		2 = MEDIUM (8—15 CM)
Shank:		Position at Dry Husk Stage:	e was formation was superior
1 1 cm Long	5 NO. OF INTERNODES	1 = UPRIGHT 2 =	HORIZONTAL 3 = PENDENT
Taper:		Drying Time (Unhusked Ear):	
2 1 = SLIGHT	Γ 2 = AVERAGE 3 = EXTREME	1 = SLOW 2 =	AVERAGE 3 = FAST
8. KERNEL (Dried):			
Size (From Ear Mid-Point	<b>i):</b>	and the second s	s de la final de l
1 0 MM LONG Shape Grade (% Rounds)	0 8 MM, WIDE	0 3 MM, THICK	
1 = < 20	2 - 20 - 40 3 = 40 - 60	4 = 60 – 80 5 = >	.80

Page 2 of 3

FORM LPGS-470-28 (3-79)

8. KERNEL (Dried):					_
5 = BRO	i	D-WHITE CROWN HT RED	3 = TAN 7 = CHERRY RE	8600134 4=BRONZE D	r r
		SEGREGATING (Describe)			
	INK 3 = TAN ALE PURPLE 9 = 1	4 = BROWN VARIEGATED (Describe)		6 = BRONZE 6 = REI	D
3 Endosperm Color: 1 = W	WHITE 2 = PALE YELLO	W 3 = YELLOW	4 = PINK-ORAN	NGE 5 = WHITE CAP.	
Endosperm Type:					
1 = SWEET (su1) 5 = WAXY STARCH	2 = EXTRA SWEET (sh2) 6 = HIGH PROTEIN	3 = NORMAL STAF		IGH AMYLOSE STARCH THER (Specify)	
2 4 GM. WEIGHT /100 SEEDS (C	Insized Sample)				•
9. COB:  2 2 MM. DIAMETER AT MID-PO  Strength:	INT				
2 = STRO	NG	Color:  1 = WHITE 2 = 5 = VARIEGATED		O 4 = BROWN ER (Specify)	
10. DISEASE RESISTANCE (O = Not Teste	ed. 1 = Susceptible, 2 = Residen	more Tolerant.			
0 STALK ROT (Diplodia) 1 NORTHERN LEAF BLIGHT 0 SOUTHERN RUST 2 BACTERIAL LEAF BLIGHT (GOSS' OTHER (Specify)	0 STALK RO 1 SOUTHERN 1 CORN SMU	T (Fusarium) I LEAF BLIGHT T (Head) ARF MOSAIC	2 smu	LK ROT (Gibberella)  JT (Common)  TERIAL WILT (Stewart '	s
11 INCCCT PERICTANCE IO - No. T. A.					
11. INSECT RESISTANCT (O = Not Tested,	1 = Susceptible, 2 = Racksam	* Tolerant:			
1 CORNBORER	0 EARWORM	0 SAPB	ETLE	2 APHID	
ROOTWORM (Northern)  ROOTWORM (Southern)	OTHER (Specify)	)			
VARIETIES MOST SCORE VARIETIES					
2. VARIETIES MOST CLOSELY RESEMBL		R THE CHARACTERS GIV	EN:		
CHARACTER /	VARIETY	CHARACTER		VARIETY	
Maturity Plant Type	PHG29 207	Kernel Type		207	
Ear Type	207	Quality (Edible)	<del></del>	NA 207	
		Usage		207	_
REFERENCES: U.S. Department Agriculture. Y Corn: Culture, Processing, Prod Emerson, R.A., G.W. Beadle, and The Mutants of Maize. 1968. C Stringfield, G.H. Maize Inbred Li Butler, D.R. 1954 — A System f	ucts. 1970 Avi Publishing Cold d A.C. Fraser. A Summary of I rop Science Society of Americ ines of Ohio, Ohio A.E.S. Bu	Linkage Studies in Maize,Cor ≃a. Madison, Wisconsin. I. 831. 1959.	nell A.E.S., Mem.	180. 1935.	
COMMENTS: Heat units are a HI = Maximum air LO = Minimum air		aily temperatures hrenheit, but no	as follows	han 86	<u></u>

14D. Exhibit D. Additional Description of 'PHG72'

PHG72 is a yellow dent inbred line of corn, Zea mays L.

As an inbred per se, PHG72 is similar to the Pioneer proprietary inbred line 207. These similarities are expected because half of the parentage of PHG72 is 207. However, there are some distinguishable differences between the two inbreds as stated in Exhibit B. When PHG72 and 207 are grown and evaluated at the same locations as inbreds per se, other differences include: PHG72 is 8% higher yielding, has 2% more grain moisture at harvest time, has 5% poorer stalk quality, has 4% better root quality, has 9% more ears per plot, has 13% poorer late season plant health, has 4% better test weight, has 23% better grain quality, is 6% poorer on growth after emergence, is 3% shorter and 5% higher eared than 207.

For comparative purposes, data are attached with comparisons of PHG72 to Pioneer inbred line 207 (inbred per se data). Also, data are attached with comparisons of PHG72 to Pioneer proprietary inbred line PHG29 (crossed to the same tester lines and evaluated in the same locations).

Comparison of PHG72 and PHG29 crossed to the same tester line and the hybrids evaluated at the same locations. All values are expressed as percent of the test mean except yield, which is expressed as bushels/acre adjusted to 15.5% moisture. Exhibit D.

		-			
Ear Height	4	66	105	9	
Plant Height	7	97	101	7	
Seedling Vigor	4	91	87	4	
Cob Scores					
Grain Quality					
Test Weight	8	103	100	3	
Stay Green	4	104	118	14	
Ears/Plot	4	100	100	0	
Root Lodging	4	98	102	4	
Stalk Lodging	8	117	112	5	
cDn zyeq	2	100	100	0	
Moisture	8	94	97	3	
Percent Yield	8	66	106	7	
Vield	8	127	137	10	
Inbred		PHG72	PHG29		
	No. of Reps.			Diff.	

same locations 178 105 100 Ŋ Ear Height 178 ന Plant Height 178 100 . 0 Seedling Vigor at Cob Scores 207 108 Grain Quality and 103 4 PHG72 Test Weight 178 92 Stay Green οĘ comparisons 178 102 6 111 Ears/Plot 107 103 4 Root Lodging 100 105 Ŋ Stalk Lodging 178 135  $\sim$ CDN 2PGq 178  $\sim$ Moisture 178 108 100  $\infty$ Percent Yield 178 Yield PHG72 Inbred 207 No. of Reps. Diff.

se

per


Ö.

Exhibit

14D.

14D. Exhibit D. Additional Description of 'PHG72' (continued)

a. Whole plant



14D. Exhibit D. Additional Description of 'PHG72' (continued)

b. Tassel



14E. Exhibit E. Statement of Basis of Applicant's Ownership of 'PHG72'

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHG72. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHG72.